

# Bowen Ceiling Fan Collection

## 52" Bowen Ceiling Fan OZ

330242OZ (Olde Bronze)

Project Name: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Type: \_\_\_\_\_  
 Qty: \_\_\_\_\_  
 Comments: \_\_\_\_\_




### Product Information

|              |                              |
|--------------|------------------------------|
| Product ID   | 330242OZ                     |
| Finish       | Olde Bronze                  |
| Blade Finish | Walnut/Cherry                |
| Collection   | Bowen Ceiling Fan Collection |

### Airflow, Power and Efficiency

| Speed | RPM | CFM  | CFM/ Watt | Amps | Watts |
|-------|-----|------|-----------|------|-------|
| High  | 155 | 5520 | 82        | .56  | 67    |
| Med   | 115 | 3661 | 110       | .4   | 33    |
| Low   | 70  | 2289 | 177       | .25  | 13    |

### Dimensions



| Downrod        | A     | B     | C    | D    |
|----------------|-------|-------|------|------|
| 1.00 OD X 4.50 | 13.75 | 11.00 | 8.00 | 5.90 |

### Specifications

|                           |                |
|---------------------------|----------------|
| Number of Blades          | 5              |
| Blades Included           | Yes            |
| Blade Pitch               | 14 Degrees     |
| Blade Sweep               | 52"            |
| Blades Reversible         | No             |
| Blade Material            | WOOD           |
| Optional Blades Available | No             |
| Downrod 1                 | 1.00 OD X 4.50 |

Primary Control System  
 Pull Chain - In project applications using multiple ceiling fans, alternative remote controls may be required. Please contact Kichler Advanced Product Solutions at 844-542-4537 to confirm your project requirements.

|                       |              |
|-----------------------|--------------|
| Remote Included       | No           |
| Wall Control Included | No           |
| Low Ceiling Adaptable | No           |
| Lead Wire Length      | 78.00"       |
| Motor Size            | 172MM X 14MM |
| Motor Type            | AC           |

### Downlight

|                              |          |
|------------------------------|----------|
| Watts                        | 67/33/13 |
| Optional Light Kit Available | No       |

### Available Finishes

| Finish      | Fixture   | Glass | Blade 1     | Blade 2     |
|-------------|-----------|-------|-------------|-------------|
| Matte White | 330242MWH |       | MATTE WHITE | MATTE WHITE |

### Safety Listings & Certifications

|              |     |
|--------------|-----|
| Safety Rated | Dry |
|--------------|-----|

# Bowen Ceiling Fan Collection

## 52" Bowen Ceiling Fan OZ

330242OZ (Olde Bronze)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_

| Finish         | Fixture  | Glass | Blade 1 | Blade 2 |
|----------------|----------|-------|---------|---------|
| Brushed Nickel | 330242NI |       | SILVER  | WALNUT  |
| Olde Bronze    | 330242OZ |       | WALNUT  | CHERRY  |

### Control Options

| Product ID | Descr                          |
|------------|--------------------------------|
| 337001WH   | Universal Remote Control       |
| 337012ALM  | 4 Speed Fan Slide Control      |
| 337012IV   | 4 Speed Fan Slide Control      |
| 337012WH   | 4 Speed Fan Slide Control      |
| 337214     | Limited Function Cooltouch     |
| 370039MUL  | Wall Control System L-Function |
| 370040     | 4 Speed Rotary Switch 10 AMP   |

Warranty [www.kichler.com/warranty](http://www.kichler.com/warranty)

### Installation

Installation requirements The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked "For Fan Support"

Electrical Requirements 120V 60Hz AC

Minimum Distance Between Bottom Of Fan Blade To Floor 7.5 feet

#### Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.